DECK TILE





PRODUCT DATA SHEET MADERACRE TIMBER

Code:	
Version:	
Date::	16/05/2025

Product: DECK TILE

DECK TILE Plastic frame





DIMENSIONS:						
Model	Total Thickness (mm)	Width (mm)	Length (mm)	Qty. Pcs/Unit	Piece Width (mm)	Tolerance (mm)
DT-E18A47X6	28 (18+10)	300	300	6	47	+/-0.5
PLASTIC	Polymer based o	Polymer based on polypropylene and polyethylene.				
BASE:	Characteristics:	teristics: - Easy installation, withstands high and low t		emperatures.		
WOOD:	Species:	Species: - Cumaru, Garapa, Balsamo and Jatoba.				
	Profile: S4S E4E Radio 3.					
MOISTURE CONTENT:	KD (10% - 16%). Up to 10% of pieces are accepted with 9% and 10% of pieces are accepted with up to 18%.					
QUALITY:	Surface quality A	Surface quality A. Review "Classification and Packaging Manual".				
FINISHING:	Rounded and wa	Rounded and waxed tips.				
PRESENTATION:	Standard in mini	Standard in minibundles of 6 units and/or whatever the customer requires.				
APPLICATIONS:	Good performance outdoors in high humidity and low temperatures.					
INSTALLATION:	Do-it-yourself sty	Do-it-yourself style. Includes installation guide.				
RECOMMENDATIONS	Apply oil or other protective sealant for outdoor and UV use.					
NOTE:	No structural analysis or load testing has been performed on this product. The determination of appropriate use conditions remains the responsibility of the end user/contractor					





DECK TILE WITH WOODEN BASE




PRODUCT DATA SHEET MADERACRE TIMBER

Code:	
Version:	
Date:	16/05/2025

 Product:
 DECK TILE WITH WOODEN BASE

 Species:
 Cumarú, Garapa, Jatobá, Bálsamo and others FSC 100%



DIMENSIONS:					
Model	Total Thickness (mm)	Width (mm)	Length (mm)	Qty. Pcs/Unit	Piece width
DT-E38A71.6X11	38 (19+19)	606.4	606.4	8+3	71.63
DT-E38A73X11	38.1 (19.05+19.05)	606.4	606.4	8+3	73
BASE:	- Composed of 3 wooden slats.				
	- With corner cut-outs in the corners for installation device upon request.				
SURFACE:	- Composed of 8 woode	n slats.			

SURFACE:	- Composed of 8 wooden slats.		
	- Profile.	S4S E4E Radio 3.	
MOISTURE CONTENT:	KD (10% - 16%) (Up to	10% of parts with 9% and parts up to 18% are accepted).	

QUALITY:	- Surface quality A. Review "Classification and Packaging Manual".
	- A/B quality base. Review the "Classification and Packaging Manual".

FINISHING:	Rounded and waxed tips.
PRESENTATION:	Standard in mini bundle of 4 units and/or whatever the customer requires.
APPLICATIONS:	Good performance outdoors with high humidity and low temperatures.

NOTE:	No structural analysis or load testing has been performed on this product. The determination of
	appropriate use conditions remains the responsibility of the end user/contractor



